


# Stock Tags & Labels



Thermal Transfer, Direct Thermal, Fanfold, Speciality Materials, Printed, Inventory Control, Laser Sheets, RFID

## Contents

Thermal Transfer Labels .....	1-3
Direct Thermal Labels .....	3-6
Specialty Materials/Rolls .....	6
Fanfold Labels .....	7
Printed Thermal Transfer Labels .....	7-9
Inventory Control Labels .....	9-11
Shipping Labels .....	12
Laser Sheets .....	13-17
Tags .....	15
RFID Enabled Labels .....	18-19
Thermal Transfer Labels / Ribbon Kits .....	19
Label Accessories .....	20-21

## Placing Orders

- Orders can only be faxed or emailed to minimize errors. Verbal orders are not accepted.
- All order changes, including shipping instructions, must be confirmed in writing.
- Custom orders are subject to a +/- 10% variance.
- Any stock orders requested to ship same day must be faxed or emailed no later than noon EST.
- Submission of orders infers that product has been tested and accepted in actual end-user environment.

## How to Read BizGraphics Part Numbers

**RT - 4 - 6 - 990 - 3**

RT	4	6	990	3
	4" wide	6" long	990 per roll	3" core

Thermal Transfer

**RD - 4 - 6 - 990 - 3**

RD	4	6	990	3
	4" wide	6" long	990 per roll	3" core

Direct Thermal

**RL - 2625 - 1 - 30 - RC**

RL	2625	1	30	RC
	2.625" wide	1" long	30 per sheet	rounded corners

Laser Sheets

## How Laser Sheets are Packaged

- 100 sheets are in a pack
- 10 packs are in a carton
- Total = 1,000 sheets per carton

## Conditions and Guidelines

- We accept Visa and MasterCard.
- \$50 minimum order. Returns: \$30 restocking fee or 10% whichever is greater. No returns after 90 days from invoice date. No returns without authorization from factory. Prices subject to change without notice.
- RFID is subject to a 40% restocking fee.
- Returned merchandise must be in saleable condition.
- Last column pricing is achieved by meeting the dollar amount for each individual item. Items cannot be combined to achieve last column pricing.
- Items can be combined to meet the \$50 minimum order requirements.
- Stock laser sheet labels - packages of 100 cannot be broken.
- \$15 Handling fee for less than case quantities.
- \$7.50 Handling fee per ship to address for more than 3 locations.
- All stock labels are available perfed or non-perfed upon request at the same price listed in our catalog. Some stock items may be discontinued after completion of inventory. Contact your customer service representative for lead times. Note: Lead time could be up to two weeks for non-stock items.
- **Rework of Stock Labels to different size core and/or quantity per roll:**
  - 1) Limited to one case or 20,000 labels
  - 2) Cost: a flat \$50 fee plus the cost of labels
- **Cancellation Policy:** Due to the customization process of each order, BizGraphics is subject to charge a cancellation fee depending on the stage of order.

## Definitions

**Visible Light** - Most common technology, used with standard direct thermal chemistry.

**Near IR** - Dyes added to absorb light at 670 - 700 nm. Designed to filter out minor amounts of contaminants. Used in the Parcel Tracking Industry.

**Standard Direct Thermal** - This material is an uncoated medium sensitivity product with excellent image quality. It also has a permanent acrylic adhesive. Because this material is uncoated, it should be tested by the end user before ordering large quantities. This product should not be used in applications that require extreme environmental resistance.

**Premium Direct Thermal** - This material is a top-coated medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities.



# Thermal Transfer Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
<b>8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core</b>									
RT-1-1-5500-3	1.000	X	1.000	1	3	5500	12	8	OH, AZ, WI
RT-1-2-2900-3	1.000	X	2.000	1	3	2900	12	8	OH
RT-1-3-1900-3	1.000	X	3.000	1	3	1900	12	8	OH
RT-1-4-1500-3	1.000	X	4.000	1	3	1500	12	8	OH
RT-125-050-9600-3	1.250	X	0.500	1	3	9600	14	8	OH, AZ
RT-15-075-15000-3	1.500	X	0.750	2	3	15,000	18	4	OH, AZ
RT-15-075-7500-3	1.500	X	0.750	1	3	7500	18	8	OH, AZ, WI
RT-15-1-5500-3	1.500	X	1.000	1	3	5500	18	8	OH, AZ
RT-15-1-10000-3	1.500	X	1.000	2	3	10,000	16	4	OH, AZ, WI
RT-15-125-4450-3	1.500	X	1.250	1	3	4450	19	8	OH
RT-15-15-3600-3	1.500	X	1.500	1	3	3600	17	8	OH, AZ
RT-15-15-7200-3	1.500	X	1.500	2	3	7200	16	4	OH, AZ
RT-15-2-2900-3	1.500	X	2.000	1	3	2900	18	8	OH, AZ
RT-175-25-2500-3	1.750	X	2.500	1	3	2500	22	8	OH
RT-2-1-5500-3	2.000	X	1.000	1	3	5500	23	8	OH, AZ, WI
RT-2-1-11000-3	2.000	X	1.000	2	3	11,000	23	4	OH, AZ
RT-2-125-4450-3	2.000	X	1.250	1	3	4450	22	8	OH
RT-2-15-3600-3	2.000	X	1.500	1	3	3600	22	8	OH, AZ
RT-2-15-7200-3	2.000	X	1.500	2	3	7200	20	4	OH, AZ
RT-2-2-2900-3	2.000	X	2.000	1	3	2900	24	8	OH, AZ, WI
RT-2-2-2900-NP No Perf	2.000	X	2.000	1	3	2900	24	8	OH, AZ
RT-2-3-1900-3	2.000	X	3.000	1	3	1900	23	8	OH
RT-2-4-1500-3	2.000	X	4.000	1	3	1500	24	8	OH
RT-225-125-4450-3	2.250	X	1.250	1	3	4450	25	8	OH, AZ
RT-25-1-5500-3	2.500	X	1.000	1	3	5500	29	8	OH, AZ
RT-25-15-3600-3	2.500	X	1.500	1	3	3600	26	8	OH, AZ
RT-25-2-2900-3	2.500	X	2.000	1	3	2900	29	8	OH
RT-25-25-2500-3	2.500	X	2.500	1	3	2500	30	8	OH
RT-275-070-5340-3	2.750	X	0.700	1	3	5340	26	8	OH
RT-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ, WI
RT-3-15-3600-3	3.000	X	1.500	1	3	3600	32	8	OH, AZ, WI
RT-3-2-3000-3	3.000	X	2.000	1	3	3000	36	8	OH, AZ, WI
RT-3-3-2000-3	3.000	X	3.000	1	3	2000	35	8	OH, AZ
RT-3-35-1700-3	3.000	X	3.500	1	3	1700	34	8	OH
RT-3-4-1500-3	3.000	X	4.000	1	3	1500	36	8	OH
RT-3-5-1200-3	3.000	X	5.000	1	3	1200	35	8	OH, AZ
RT-3125-5-1180-3	3.125	X	5.000	1	3	1180	18	4	OH
RT-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH, AZ, WI
RT-35-15-3600-3	3.500	X	1.500	1	3	3600	19	4	OH, AZ
RT-35-2-3000-3	3.500	X	2.000	1	3	3000	20	4	OH, AZ
RT-35-8-750-3	3.500	X	8.000	1	3	750	20	4	OH
RT-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH, AZ

continued...

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
<b>8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core</b> (continued)									
RT-4-15-3600-3	4.000	X	1.500	1	3	3600	21	4	OH, AZ, WI
RT-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ, WI
RT-4-2-2900-NP No Perf	4.000	X	2.000	1	3	2900	23	4	OH, AZ
RT-4-225-2575-3	4.000	X	2.250	1	3	2575	22	4	OH
RT-4-25-2500-3	4.000	X	2.500	1	3	2500	26	4	OH, AZ
RT-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ, WI
RT-4-3-1900-NP No Perf	4.000	X	3.000	1	3	1900	24	4	OH
RT-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH, AZ, WI
RT-4-5-1200-3	4.000	X	5.000	1	3	1200	22	4	OH, WI
RT-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
RT-4-6-1000-NP No Perf	4.000	X	6.000	1	3	1000	24	4	OH, AZ
RT-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH, AZ, WI
RT-4-8-750-3	4.000	X	8.000	1	3	750	24	4	OH, AZ
RT-4-10-600-3	4.000	X	10.000	1	3	600	22	4	OH
RT-4-13-450-3	4.000	X	13.000	1	3	450	24	4	OH
RT-45-25-2500-3	4.500	X	2.500	1	3	2500	30	4	OH
RT-45-3-1900-3	4.500	X	3.000	1	3	1900	24	4	OH
RT-45-45-1400-3	4.500	X	4.500	1	3	1400	27	4	OH
RT-45-5-1200-3	4.500	X	5.000	1	3	1200	26	4	OH
RT-45-6-995-3	4.500	X	6.000	1	3	995	26	4	OH, WI
RT-5-25-2500-3	5.000	X	2.500	1	3	2500	30	4	OH
RT-5-3-1900-3	5.000	X	3.000	1	3	1900	28	4	OH, AZ
RT-5-4-1500-3	5.000	X	4.000	1	3	1500	30	4	OH, WI
RT-6-4-1500-3	6.000	X	4.000	1	3	1500	35	4	OH, AZ, WI
RT-6-6-1000-3	6.000	X	6.000	1	3	1000	38	4	OH
RT-65-4-1500-3	6.500	X	4.000	1	3	1500	36	4	OH
RT-85-6-1000-3	8.500	X	6.000	1	3	1000	50	4	OH

**8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound In, 3" Core**

RT-4-6-1000-IN	4.000	X	6.000	1	3	1000	24	4	OH, WI
----------------	-------	---	-------	---	---	------	----	---	--------

**6" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core**

RT-3-2-1475-3	3.000	X	2.000	1	3	1475	20	8	OH
RT-4-3-975-3	4.000	X	3.000	1	3	975	26	8	OH
RT-4-4-750-3	4.000	X	4.000	1	3	750	24	8	OH
RT-4-6-525-3	4.000	X	6.000	1	3	525	26	8	OH

**12" O.D. Topcoated Thermal Transfer, No Perfed, Wound Out, 3" Core**

RT-4-2-7595-3	4.000	X	2.000	1	3	7595	45	3	OH
RT-4-3-5164-3	4.000	X	3.000	1	3	5164	43	3	OH
RT-4-6-2800-3	4.000	X	6.000	1	3	2800	51	3	OH



BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**4" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core**

RT-2-1-1375-1	2.000	X	1.000	1	1	1375	9	12	OH, WI
RT-225-125-1135-1	2.250	X	1.250	1	1	1135	10	12	OH, AZ, WI
RT-25-1-1375-1	2.500	X	1.000	1	1	1375	12	12	OH, WI
RT-3-1-1375-1	3.000	X	1.000	1	1	1375	14	12	OH, AZ, WI
RT-3-3-500-1	3.000	X	3.000	1	1	500	13	12	OH, WI
RT-35-1-1375-1	3.500	X	1.000	1	1	1375	16	12	OH, WI
RT-4-1-1375-1	4.000	X	1.000	1	1	1375	17	12	OH, WI
RT-4-15-960-1	4.000	X	1.500	1	1	960	17	12	OH, AZ, WI
RT-4-2-735-1	4.000	X	2.000	1	1	735	18	12	OH, WI
RT-4-3-500-1	4.000	X	3.000	1	1	500	18	12	OH, AZ, WI
RT-4-4-380-1	4.000	X	4.000	1	1	380	18	12	OH, WI
RT-4-6-250-1	4.000	X	6.000	1	1	250	17	12	OH, AZ, WI
RT-4-65-230-1	4.000	X	6.500	1	1	230	17	12	OH, WI

**5" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core**

RT-2-1-2500-1	2.000	X	1.000	1	1	2500	16	12	OH, WI
RT-225-125-2100-1	2.250	X	1.250	1	1	2100	19	12	OH, AZ, WI
RT-25-1-2500-1	2.500	X	1.000	1	1	2500	30	12	OH, WI
RT-3-1-2500-1	3.000	X	1.000	1	1	2500	23	12	OH, AZ, WI
RT-3-3-890-1	3.000	X	3.000	1	1	890	24	12	OH, WI
RT-35-1-2500-1	3.500	X	1.000	1	1	2500	27	12	OH, WI
RT-4-1-2500-1	4.000	X	1.000	1	1	2500	30	12	OH, WI
RT-4-15-1800-1	4.000	X	1.500	1	1	1800	30	12	OH, AZ, WI
RT-4-2-1320-1	4.000	X	2.000	1	1	1320	32	12	OH, WI
RT-4-3-890-1	4.000	X	3.000	1	1	890	31	12	OH, AZ, WI
RT-4-4-700-1	4.000	X	4.000	1	1	700	33	12	OH, WI
RT-4-6-460-1	4.000	X	6.000	1	1	460	33	12	OH, AZ, WI
RT-4-65-380-1	4.000	X	6.500	1	1	380	29	12	OH, WI

## Direct Thermal Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**8" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core**

RD-1-1-5500-3	1.000	X	1.000	1	3	5500	12	8	OH
RD-1-4-1500-3	1.000	X	4.000	1	3	1500	12	8	OH
RD-15-1-5500-3	1.500	X	1.000	1	3	5500	18	8	OH, AZ
RD-15-125-4450-3	1.500	X	1.250	1	3	4450	19	8	OH
RD-15-15-3600-3	1.500	X	1.500	1	3	3600	17	8	OH, AZ
RD-2-1-5500-3	2.000	X	1.000	1	3	5500	23	8	OH, AZ
RD-2-2-2900-3	2.000	X	2.000	1	3	2900	24	8	OH, AZ
RD-2-3-1900-3	2.000	X	3.000	1	3	1900	23	8	OH, WI
RD-225-1125-4450-3	2.250	X	1.125	1	3	4450	25	8	OH
RD-225-125-4450-3	2.250	X	1.250	1	3	4450	25	8	OH, AZ

continued...

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**8" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core (continued)**

RD-25-1-5500-3	2.500	X	1.000	1	3	5500	29	8	OH, AZ
RD-25-2-2900-3	2.500	X	2.000	1	3	2900	29	8	OH, WI
RD-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ
RD-3-15-3600-3	3.000	X	1.500	1	3	3600	32	8	OH
RD-3-2-2900-3	3.000	X	2.000	1	3	2900	36	8	OH, AZ
RD-3-3-1900-3	3.000	X	3.000	1	3	1900	35	8	OH, AZ
RD-3-5-1200-3	3.000	X	5.000	1	3	1200	35	8	OH, AZ
RD-3125-5-1200-3	3.125	X	5.000	1	3	1200	18	4	OH
RD-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH, AZ
RD-35-15-3600-3	3.500	X	1.500	1	3	3600	19	4	OH, AZ
RD-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH, AZ
RD-4-15-3600-3	4.000	X	1.500	1	3	3600	21	4	OH, AZ
RD-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ
RD-4-25-2500-3	4.000	X	2.500	1	3	2500	26	4	OH, AZ
RD-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ, WI
RD-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH, AZ
RD-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
RD-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH, AZ
RD-45-25-2500-3	4.500	X	2.500	1	3	2500	30	4	OH, WI
RD-45-45-1400-3	4.500	X	4.500	1	3	1400	27	4	OH
RD-45-6-1000-3	4.500	X	6.000	1	3	1000	26	4	OH
RD-6-4-1500-3	6.000	X	4.000	1	3	1500	35	4	OH, AZ
RD-6-6-1000-3	6.000	X	6.000	1	3	1000	38	4	OH

**8" O.D. Standard Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core**

RDS-2-1-5500-3	2.000	X	1.000	1	3	5500	23	8	OH
RDS-2-1-11000-3	2.000	X	1.000	2	3	11,000	23	4	OH
RDS-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ
RDS-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH
RDS-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH
RDS-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ
RDS-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ
RDS-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH
RDS-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
RDS-4-6-1000-NP No Perf	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
RDS-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH
RDS-4-8-750-3	4.000	X	8.000	1	3	750	24	4	OH

**8" O.D. Flood Coated Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core**

RD-4-6-1000-BL	4.000	X	6.000	1	3	1000	24	4	OH
RD-4-6-1000-YL	4.000	X	6.000	1	3	1000	24	4	OH
RD-4-6-1000-OR	4.000	X	6.000	1	3	1000	24	4	OH

PMS Colors: 292 Blue, Pantone Yellow 80% Screen, 1505 Orange 80% Screen



BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

### 6" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

RD-2-1-2750-3	2.000	X	1.000	1	3	2750	20	12	OH
RD-3-2-1475-3	3.000	X	2.000	1	3	1475	22	8	OH
RD-4-6-525-3	4.000	X	6.000	1	3	525	28	8	OH

### 4" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core

RD-2-1-1375-1	2.000	X	1.000	1	1	1375	9	12	OH, AZ, WI
RD-225-125-1135-1	2.250	X	1.250	1	1	1135	10	12	OH, AZ, WI
RD-225-1125-1135-1	2.250	X	1.125	1	1	1135	10	12	OH
RD-25-1-1375-1	2.500	X	1.000	1	1	1375	12	12	OH, WI
RD-3-1-1375-1	3.000	X	1.000	1	1	1375	14	12	OH, AZ, WI
RD-3-3-500-1	3.000	X	3.000	1	1	500	13	12	OH, WI
RD-35-1-1375-1	3.500	X	1.000	1	1	1375	16	12	OH, WI
RD-4-1-1375-1	4.000	X	1.000	1	1	1375	17	12	OH, AZ, WI
RD-4-15-960-1	4.000	X	1.500	1	1	960	17	12	OH, AZ, WI
RD-4-2-735-1	4.000	X	2.000	1	1	735	18	12	OH, AZ, WI
RD-4-3-500-1	4.000	X	3.000	1	1	500	18	12	OH, AZ, WI
RD-4-4-380-1	4.000	X	4.000	1	1	380	18	12	OH, WI
RD-4-6-250-1	4.000	X	6.000	1	1	250	17	12	OH, AZ, WI
RD-4-65-230-1	4.000	X	6.500	1	1	230	17	12	OH, WI

### 5" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core

RD-2-1-2500-1	2.000	X	1.000	1	1	2500	18	12	OH, AZ, WI
RD-225-125-2100-1	2.250	X	1.250	1	1	2100	21	12	OH, AZ, WI
RD-225-1125-2300-1	2.250	X	1.125	1	1	2300	21	12	OH
RD-25-1-2500-1	2.500	X	1.000	1	1	2500	22	12	OH, WI
RD-3-1-2500-1	3.000	X	1.000	1	1	2500	25	12	OH, AZ, WI
RD-3-3-890-1	3.000	X	3.000	1	1	890	26	12	OH, WI
RD-35-1-2500-1	3.500	X	1.000	1	1	2500	29	12	OH, WI
RD-4-1-2500-1	4.000	X	1.000	1	1	2500	32	12	OH, AZ, WI
RD-4-15-1800-1	4.000	X	1.500	1	1	1800	32	12	OH, AZ, WI
RD-4-2-1320-1	4.000	X	2.000	1	1	1320	34	12	OH, AZ, WI
RD-4-3-890-1	4.000	X	3.000	1	1	890	23	12	OH, AZ, WI
RD-4-4-700-1	4.000	X	4.000	1	1	700	35	12	OH, WI
RD-4-6-460-1	4.000	X	6.000	1	1	460	35	12	OH, AZ, WI
RD-4-65-380-1	4.000	X	6.500	1	1	380	31	12	OH, WI

### 2.5" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, .75" Core *Black Sensemark on Liner*

RD-4-2-300-075	4.000	X	2.000	1	0.75	300	24	36	OH
RD-4-3-200-075	4.000	X	3.000	1	0.75	200	24	36	OH
RD-4-4-160-075	4.000	X	4.000	1	0.75	160	19	36	OH
RD-4-6-105-075	4.000	X	6.000	1	0.75	105	25	36	OH





For Zebra Printers: P4T, QL, QL Plus Series

**Premium Direct Thermal** is a top-coated medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities.

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Direct Thermal Shipping System Label with 3/4" DOC Tab (Near IR)**

RPS-4-675-250-1	4.000	X	6.750	1	1	250	22	12	OH
RPS-4-675-250-15	4.000	X	6.750	1	1.5	250	22	12	OH
RPS-4-675-820-3	4.000	X	6.750	1	3	820	24	4	OH


**Shipping System Label**

**1" Core**

**3" Core**

**Fanfold Stack**

## Specialty Materials / Rolls

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Removable Adhesive, 8" O.D., Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core**

RE-2-1-5500-3	2.000	X	1.000	1	3	5500	33	8	OH
RE-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH
RE-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH
RE-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ

**Smudge Proof Kimdura, 8" O.D., Perfed Each, Wound Out, 3" Core**

RK-2-1-5150-3	2.000	X	1.000	1	3	5150	22	8	OH
RK-4-2-2730-3	4.000	X	2.000	1	3	2730	22	4	OH
RK-4-6-950-3	4.000	X	6.000	1	3	950	28	4	OH

**Matte Polypropylene (Synthetic) Film, 8" O.D., Perfed Each, Wound Out, 3" Core**

RSP-2-1-5150-3	2.000	X	1.000	1	3	5150	22	8	OH
RSP-4-2-2730-3	4.000	X	2.000	1	3	2730	22	4	OH
RSP-4-6-950-3	4.000	X	6.000	1	3	950	28	4	OH

**2 Mil. White Gloss Polyester, 8" O.D., Perfed Each, Wound Out, 3" Core**

RP-15-075-7500-3	1.500	X	0.750	1	3	7500	20	8	OH
RP-15-075-15000-3	1.500	X	0.750	2	3	15,000	20	4	OH
RP-175-05-10000-3	1.750	X	0.500	1	3	10,000	22	8	OH
RP-175-05-10000-NP <b>No Perf</b>	1.750	X	0.500	1	3	10,000	22	8	OH
RP-2-1-5000-3	2.000	X	1.000	1	3	5000	22	8	OH
RP-2-1-5000-NP <b>No Perf</b>	2.000	X	1.000	1	3	5000	22	8	OH
RP-3-1-5000-3	3.000	X	1.000	1	3	5000	34	8	OH
RP-4-1-5000-3	4.000	X	1.000	1	3	5000	26	4	OH
RP-4-2-3000-3	4.000	X	2.000	1	3	3000	28	4	OH
RP-4-6-1050-3	4.000	X	6.000	1	3	1050	28	4	OH





## Fanfold Labels

BizGraphics Part #	Width	X	Length	Labels / Fold	FF = Fanfold	Labels / Stack	Approx Wt / Case	Labels / Carton	Stocking Locations
--------------------	-------	---	--------	---------------	--------------	----------------	------------------	-----------------	--------------------

### Fanfold Stacks, Topcoated Thermal Transfer, Perfed Each

RT-3-2-7500-FF	3.000	X	2.000	5	FF	7500	22	15,000	OH
RT-3-5-1250-FF	3.000	X	5.000	2	FF	1250	Call	Call	Call for info
RT-4-1-10500-FF	4.000	X	1.000	10	FF	10,500	22	21,000	OH
RT-4-2-2500-FF	4.000	X	2.000	5	FF	2500	10	5000	OH
RT-4-3-2500-FF	4.000	X	3.000	4	FF	2500	14	5000	OH
RT-4-4-2500-FF	4.000	X	4.000	3	FF	2500	18	5000	OH, WI
RT-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
RT-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH
RT-4-8-1000-FF	4.000	X	8.000	1	FF	1000	20	2000	OH
RT-6-4-1500-FF	6.000	X	4.000	3	FF	1500	18	3000	OH

### Fanfold Stack, Premium Direct Thermal (Light Visible), Perfed Each

RD-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
RD-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH

### Fanfold Stack, Standard Direct Thermal (Light Visible), Perfed Each

RDS-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
RDS-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH

## Printed Thermal Transfer Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

### 1" Circles, Flood Coated Thermal Transfer, 4" O.D., No Perf, Wound Out, 3" Core

IT-1-CIR-WH <b>White</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-RD <b>Red</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BLK <b>Black</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BL <b>Blue</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PU <b>Purple</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-GR <b>Green</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-YL <b>Yellow</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PK <b>Pink</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BR <b>Brown</b>			1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-OR <b>Orange</b>			1" Diam. Circle	1	3	500	2	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

### 1" Circles, Fluorescent Thermal Transfer, 4" O.D., Perfed Each, Wound Out, 3" Core

FL-1-CIR-RD <b>Red</b>			1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-CH <b>Chartreuse</b>			1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-GR <b>Green</b>			1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-OR <b>Orange</b>			1" Diam. Circle	1	3	500	2	4	OH
FL-1-CIR-PK <b>Pink</b>			1" Diam. Circle	1	3	500	2	4	OH

Fluorescent Red, Fluorescent Chartreuse (Yellow-Green), Fluorescent Green, Fluorescent Orange, Fluorescent Pink

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**1 1/2" Circles, Flood Coated Thermal Transfer, 5" O.D., No Perf, Wound Out, 3" Core**

IT-15-CIR-WH	White		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-RD	Red		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BLK	Black		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BL	Blue		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PU	Purple		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-GR	Green		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-YL	Yellow		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PK	Pink		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BR	Brown		1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-OR	Orange		1.5" Diam. Circle	1	3	1000	3	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

**1 1/2" Circles, Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

RT-15-CIR-WH	White		1.5" Diam. Circle	1	3	3500	14	8	OH
--------------	-------	--	-------------------	---	---	------	----	---	----

**1 1/2" Circles, Fluorescent Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

FL-15-CIR-RD	Red		1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-CH	Chartreuse		1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-GR	Green		1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-OR	Orange		1.5" Diam. Circle	1	3	3286	16	8	OH
FL-15-CIR-PK	Pink		1.5" Diam. Circle	1	3	3286	16	8	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

**Floodcoated Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

RFC-3-1-5500-YL	Yellow	3.000	X	1.000	1	3	5500	33	8	OH
RFC-3-1-5500-BL	Blue	3.000	X	1.000	1	3	5500	33	8	OH
RFC-3-1-5500-GR	Green	3.000	X	1.000	1	3	5500	33	8	OH
RFC-3-1-5500-OR	Orange	3.000	X	1.000	1	3	5500	33	8	OH
RFC-4-2-2900-YL	Yellow	4.000	X	2.000	1	3	2900	23	4	OH
RFC-4-2-2900-PK	Pink	4.000	X	2.000	1	3	2900	23	4	OH
RFC-4-2-2900-RD	Red	4.000	X	2.000	1	3	2900	23	4	OH
RFC-4-2-2900-BL	Blue	4.000	X	2.000	1	3	2900	23	4	OH
RFC-4-2-2900-GR	Green	4.000	X	2.000	1	3	2900	23	4	OH, WI
RFC-4-2-2900-OR	Orange	4.000	X	2.000	1	3	2900	23	4	OH
RFC-4-3-1900-YL	Yellow	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-3-1900-PK	Pink	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-3-1900-RD	Red	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-3-1900-BL	Blue	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-3-1900-GR	Green	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-3-1900-OR	Orange	4.000	X	3.000	1	3	1900	24	4	OH
RFC-4-6-1000-YL	Yellow	4.000	X	6.000	1	3	1000	24	4	OH, WI
RFC-4-6-1000-PK	Pink	4.000	X	6.000	1	3	1000	24	4	OH

continued...



BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Floodcoated Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core** (continued)

RFC-4-6-1000-RD <b>Red</b>	4.000	X	6.000	1	3	1000	24	4	OH
RFC-4-6-1000-BL <b>Blue</b>	4.000	X	6.000	1	3	1000	24	4	OH
RFC-4-6-1000-GR <b>Green</b>	4.000	X	6.000	1	3	1000	24	4	OH
RFC-4-6-1000-OR <b>Orange</b>	4.000	X	6.000	1	3	1000	24	4	OH
RFC-4-65-900-YL <b>Yellow</b>	4.000	X	6.500	1	3	900	23	4	OH
RFC-4-65-900-PK <b>Pink</b>	4.000	X	6.500	1	3	900	23	4	OH
RFC-4-65-900-BL <b>Blue</b>	4.000	X	6.500	1	3	900	23	4	OH
RFC-4-65-900-GR <b>Green</b>	4.000	X	6.500	1	3	900	23	4	OH
RFC-4-65-900-OR <b>Orange</b>	4.000	X	6.500	1	3	900	23	4	OH

PMS Colors: Pantone Yellow, 290 Blue, 345 Green, 1495 Orange, 176 Pink, 032 Red

**Fluorescent Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

FL-4-6-1000-RD <b>Red</b>	4.000	X	6.000	1	3	1000	28	4	OH
FL-4-6-1000-CH <b>Chartreuse</b>	4.000	X	6.000	1	3	1000	28	4	OH
FL-4-6-1000-GR <b>Green</b>	4.000	X	6.000	1	3	1000	28	4	OH
FL-4-6-1000-OR <b>Orange</b>	4.000	X	6.000	1	3	1000	28	4	OH
FL-4-6-1000-PK <b>Pink</b>	4.000	X	6.000	1	3	1000	28	4	OH

Fluorescent Red, Fluorescent Chartreuse (Yellow-Green), Fluorescent Green, Fluorescent Orange, Fluorescent Pink

**1/2" Horizontal Color Bar at Trailing Edge, Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

RTC-4-65-1000-BL <b>Blue</b>	4.000	X	6.500	1	3	1000	24	4	OH
RTC-4-65-1000-GR <b>Green</b>	4.000	X	6.500	1	3	1000	24	4	OH
RTC-4-65-1000-OR <b>Orange</b>	4.000	X	6.500	1	3	1000	24	4	OH
RTC-4-65-1000-PU <b>Violet</b>	4.000	X	6.500	1	3	1000	24	4	OH

PMS Colors: Process Blue, Pantone Green, 021U Orange, Pantone Violet

## Inventory Control Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**1 1/2" Circles, Thermal Transfer, Preprinted 0 Thru 9, 5" O.D., No Perf, Wound Out, 3" Core**

IP-15-CIRCLE-0 <b>0</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-1 <b>1</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-2 <b>2</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-3 <b>3</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-4 <b>4</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-5 <b>5</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-6 <b>6</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-7 <b>7</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-8 <b>8</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH
IP-15-CIRCLE-9 <b>9</b>	1.5" Diam. Circle		1	3	1000	3.3	4	OH

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**1 1/2" Circles, Thermal Transfer, Preprinted Days / Months, 5" O.D., No Perf, Wound Out, 3" Core**

MP-15-CIR-SUN	SUN		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MON	MON		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-TUE	TUE		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-WED	WED		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-THUR	THUR		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-FRI	FRI		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-SAT	SAT		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-JAN	JAN		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-FEB	FEB		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MAR	MAR		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-APR	APR		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MAY	MAY		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-JUN	JUN		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-JUL	JUL		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-AUG	AUG		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-SEP	SEP		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-OCT	OCT		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-NOV	NOV		1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-DEC	DEC		1.5" Diam. Circle	1	3	1000	3.3	4	OH

**1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., No Perf, Wound Out, 3" Core**

QC-15-CIR-01			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

OK TO USE (GREEN REVERSE)

QC-15-CIR-02			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

OK, Q.C., BY (GREEN ON WHITE)

QC-15-CIR-03			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

INSPECTED, BY, DATE (BLACK ON WHITE)

QC-15-CIR-04			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

INSPECTED (GREEN REVERSE)

QC-15-CIR-05			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

TESTED (BLACK ON YELLOW)

**1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., No Perf, Wound Out, 3" Core**

QC-15-CIR-06			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

HOLD (RED REVERSE)

QC-15-CIR-07			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

ACCEPTED, BY, DATE (GREEN REVERSE)

QC-15-CIR-08			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

EXPIRATION, BY, DATE (BLACK ON YELLOW)

QC-15-CIR-09			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

CHECKMARK (GREEN REVERSE)

QC-15-CIR-10			1.5" Diam. Circle	1	3	1000	3.3	4	OH
--------------	--	--	-------------------	---	---	------	-----	---	----

REJECTED (RED REVERSE)

continued...



BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., No Perf, Wound Out, 3" Core (continued)

QC-15-CIR-11	1.5" Diam. Circle		1	3	1000	3.3	4	OH
--------------	-------------------	--	---	---	------	-----	---	----

RETURN (RED REVERSE)

QC-15-CIR-12	1.5" Diam. Circle		1	3	1000	3.3	4	OH
--------------	-------------------	--	---	---	------	-----	---	----

HAS BEEN COUNTED (BLACK ON YELLOW)

QC-15-CIR-13	1.5" Diam. Circle		1	3	1000	3.3	4	OH
--------------	-------------------	--	---	---	------	-----	---	----

COUNTED (BLACK ON WHITE)

QC-15-CIR-14	1.5" Diam. Circle		1	3	1000	3.3	4	OH
--------------	-------------------	--	---	---	------	-----	---	----

RECEIVED, BY, DATE (RED ON WHITE)

QC-15-CIR-15	1.5" Diam. Circle		1	3	1000	3.3	4	OH
--------------	-------------------	--	---	---	------	-----	---	----

FRAGILE (RED REVERSE)



RED REVERSE



GREEN REVERSE



BLUE & BLACK



YELLOW & BLACK



GRAY REVERSE



ORANGE REVERSE



PURPLE REVERSE



RED REVERSE



GREEN REVERSE



BLUE REVERSE



ORANGE REVERSE



MAGENTA REVERSE



YELLOW & BLACK



PINK & BLACK



LT BLUE & BLACK



GRAY REVERSE



BROWN REVERSE



GREEN REVERSE



PURPLE REVERSE



01 - GREEN REVERSE



02 - GREEN ON WHITE



03 - BLACK ON WHITE



04 - GREEN REVERSE



05 - BLACK ON YELLOW



06 - RED REVERSE



07 - GREEN REVERSE



08 - BLACK ON YELLOW



09 - GREEN REVERSE



10 - RED REVERSE



11 - RED REVERSE



12 - BLACK ON YELLOW



13 - BLACK ON WHITE



14 - RED ON WHITE



15 - RED REVERSE

## Handling Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core**

QC-2-3-500-UP	2.000	X	3.000	1	3	500	3	3	OH
---------------	-------	---	-------	---	---	-----	---	---	----

**THIS SIDE UP (RED ON WHITE)**

QC-3-5-500-GLASS	3.000	X	5.000	1	3	500	8	3	OH
------------------	-------	---	-------	---	---	-----	---	---	----

**PLEASE HANDLE WITH CARE, GLASS, THANK YOU (RED ON WHITE)**

QC-3-5-500-FRAGILE	3.000	X	5.000	1	3	500	8	3	OH
--------------------	-------	---	-------	---	---	-----	---	---	----

**PLEASE HANDLE WITH CARE, FRAGILE, THANK YOU (RED ON WHITE)**

QC-3-5-500-LIQUID	3.000	X	5.000	1	3	500	8	3	OH
-------------------	-------	---	-------	---	---	-----	---	---	----

**FRAGILE, LIQUID, HANDLE WITH CARE (RED ON WHITE)**

QC-3-5-500-DROP	3.000	X	5.000	1	3	500	8	3	OH
-----------------	-------	---	-------	---	---	-----	---	---	----

**PLEASE HANDLE WITH CARE, DO NOT DROP, THANK YOU (RED ON WHITE)**

QC-3-5-500-CRUSH	3.000	X	5.000	1	3	500	8	3	OH
------------------	-------	---	-------	---	---	-----	---	---	----

**ELECTRONIC MATERIAL, DON'T DROP, DON'T CRUSH (RED ON WHITE)**

QC-3-5-500-DI1	3.000	X	5.000	1	3	500	8	3	OH
----------------	-------	---	-------	---	---	-----	---	---	----

**DELICATE INSTRUMENTS, HANDLE WITH GREAT CARE (RED ON WHITE)**

QC-3-5-500-DI2	3.000	X	5.000	1	3	500	8	3	OH
----------------	-------	---	-------	---	---	-----	---	---	----

**HANDLE WITH CARE, DELICATE INSTRUMENTS, FRAGILE (RED ON WHITE)**



## Made in the U. S. A. Labels

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
--------------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core**

QC-15-CIR-500-USA	1.500	X	1.500	1	3	500	3	3	OH
-------------------	-------	---	-------	---	---	-----	---	---	----

**BE AMERICAN BUY AMERICAN (4 COLOR PROCESS)**

QC-2-3-500-FLAG	2.000	X	3.000	1	3	500	3	3	OH
-----------------	-------	---	-------	---	---	-----	---	---	----

**MADE IN THE U. S. A. (RED & BLUE ON WHITE)**

QC-3-5-500-STATES	3.000	X	5.000	1	3	500	11	4	OH
-------------------	-------	---	-------	---	---	-----	----	---	----

**MADE IN AMERICA (4 COLOR PROCESS)**

QC-3-5-500-STARS	3.000	X	5.000	1	3	500	11	4	OH
------------------	-------	---	-------	---	---	-----	----	---	----

**MADE IN THE U. S. A. (4 COLOR PROCESS)**





## Laser Sheets

BizGraphics Part #	Diagram Pg 16-17	Width	X	Length	LbIs / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
--------------------	------------------	-------	---	--------	--------------	---------------	------------------	----------------	---------------	--------------------

### EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers

RL-1-1-80	1	1	X	1	80	100	26	No	8000	WI
RL-15-050-100	2	1.500	X	0.500	100	100	26	No	10,000	OH
RL-15-1-50-RC	3	1.500	X	1.000	50	100	26	Yes	5000	WI
RL-175-050-80-RC	4	1.750	X	0.500	80	100	26	Yes	8000	WI
RL-175-1-44	5	1.750	X	1.000	44	100	26	No	4400	OH
RL-25-1563-18-RC	6	2.500	X	1.563	18	100	26	Yes	1800	WI
RL-2625-1-30-RC	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-2833-1-33	8	2.833	X	1.000	33	100	26	No	3300	OH
RL-2833-1375-24	9	2.833	X	1.375	24	100	26	No	2400	WI
RL-35-075-28-RC	10	3.500	X	0.750	28	100	26	Yes	2800	WI
RL-4-1-20-RC	11	4.000	X	1.000	20	100	26	Yes	2000	WI
RL-4-133-14-RC	12	4.000	X	1.333	14	100	26	Yes	1400	WI
RL-4-15-12-RC *	13	4.000	X	1.500	12	100	26	Yes	1200	WI
RL-4-175-12-RC	14	4.000	X	1.750	12	100	26	Yes	1200	WI
RL-4-2-10-RC	15	4.000	X	2.000	10	100	26	Yes	1000	WI
RL-4-333-6-RC	16	4.000	X	3.330	6	100	26	Yes	600	WI
RL-4-5-4-RC	17	4.000	X	5.000	4	100	26	Yes	400	WI
RL-425-1-22	18	4.250	X	1.000	22	100	26	No	2200	WI
RL-425-15-14	19	4.250	X	1.500	14	100	26	No	1400	OH
RL-425-2-10	20	4.250	X	2.000	10	100	26	No	1000	WI
RL-425-275-8	21	4.250	X	2.750	8	100	26	No	800	OH
RL-425-55-4	22	4.250	X	5.500	4	100	26	No	400	WI
RL-85-35-3	23	8.500	X	3.500	3	100	26	No	300	WI
RL-85-55-2	24	8.500	X	5.500	2	100	26	No	200	WI
RL-85-11-1 Backscore	25	8.500	X	11.000	1	100	26	No	100	WI

\* Perfed vertically down center through face stock and liner

### Circles, EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers

RL-1-C-63	26	1.0" Diam. Circle			63	100	26	Yes	6300	WI
RL-15-C-24	27	1.5" Diam. Circle			24	100	26	Yes	2400	WI
RL-25-C-12	28	2.5" Diam. Circle			12	100	26	Yes	1200	WI

### Fluorescent EDP Laser Sheets, Permanent Adhesive, Available in Red & Green

RL-2625-1-30-G	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-2625-1-30-R	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-4-2-10-G	15	4.000	X	2.000	10	100	26	Yes	1000	WI
RL-4-2-10-R	15	4.000	X	2.000	10	100	26	Yes	1000	WI
RL-4-333-6-G	16	4.000	X	3.330	6	100	26	Yes	600	WI
RL-4-333-6-R	16	4.000	X	3.330	6	100	26	Yes	600	WI
RL-85-11-1-G	25	8.500	X	11.000	1	100	26	No	100	WI
RL-85-11-1-R	25	8.500	X	11.000	1	100	26	No	100	WI
RL-166-CIR-24-G	29	1.66" Diam. Circle			24	100	26	No	2400	WI

continued...

BizGraphics Part #	Diagram Pg 16-17	Width	X	Length	Lbs / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
--------------------	------------------	-------	---	--------	-------------	---------------	------------------	----------------	---------------	--------------------

**Fluorescent EDP Laser Sheets, Permanent Adhesive, Available in Red & Green (continued)**

RL-166-CIR-24-R	29	1.66" Diam. Circle		24	100	26	No	2400	WI
RL-25-CIR-12-G	28	2.5" Diam. Circle		12	100	26	No	1200	WI
RL-25-CIR-12-R	28	2.5" Diam. Circle		12	100	26	No	1200	WI

**Removable EDP Laser Sheets, Removable Adhesive**

RL-2625-1-30-REM	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-4-2-10-REM	15	4.000	X	2.000	10	100	26	Yes	1000	WI

**Ultra Removable EDP Laser Sheets, Ultra Removable Adhesive**

RL-4-2-10-UR	15	4.000	X	2.000	10	100	26	Yes	1000	WI
RL-4-5-4-UR	17	4.000	X	5.000	4	100	26	Yes	400	WI

**Clear Polyester Laser Sheets, Permanent Adhesive**

RL-2625-1-30-CL	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-4-2-10-CL	15	4.000	X	2.000	10	100	26	Yes	1000	WI

**White Polyester Laser Sheets, Permanent Adhesive**

RL-2625-1-30-WH	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-4-2-10-WH	15	4.000	X	2.000	10	100	26	Yes	1000	WI

**Compact Disc EDP/Semi-Gloss Laser Sheets, Permanent Adhesive**

RL-45-CD-2 <b>EDP</b>	30	4.5" Diam. Circle		2	100	26	No	200	WI
RL-45-CD-2-SG <b>Semi-G</b>	30	4.5" Diam. Circle		2	100	26	No	200	WI

EDP is compatible with ink jet printers, Semi-Gloss is not compatible

**Laser Semi-Gloss Sheet, Permanent Adhesive**

RL-2625-1-30-5-SG	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-4-2-10-SG	15	4.000	X	2.000	10	100	26	Yes	1000	WI
RL-4-333-6-SG	16	4.000	X	3.330	6	100	26	Yes	600	WI
RL-4-5-4-SG	17	4.000	X	5.000	4	100	26	Yes	400	WI
RL-85-11-1-SG	25	8.500	X	11.000	1	100	26	No	100	WI

**Laser Foil Sheets, Permanent Adhesive**

RL-166-CIR-24-SLV	29	1.66" Diam. Circle		24	100	26	No	2400	WI	
RL-166-CIR-24-GLD	29	1.66" Diam. Circle		24	100	26	No	2400	WI	
RL-2625-1-30-SLV	7	2.625	X	1.000	30	100	26	Yes	3000	WI
RL-2625-1-30-GLD	7	2.625	X	1.000	30	100	26	Yes	3000	WI

Colors Available: Silver and Gold





BizGraphics Part #	Diagram Pg 16-17	Width	X	Length	Lbs / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
--------------------	------------------	-------	---	--------	-------------	---------------	------------------	----------------	---------------	--------------------

**Laser Drum Label (Vinyl), Permanent Adhesive**

RL-81875-1075-1-DR	31	8.1875	X	10.75	1	100	26	Yes	100	WI
--------------------	----	--------	---	-------	---	-----	----	-----	-----	----

**8.5" X 14" EDP Laser Sheets, Permanent Adhesive**

RL-425-14-2 *	36	4.250	X	14.000	2	100	30	No	200	WI
RL-4-6-4	37	4.000	X	6.000	4	100	30	No	400	WI
RL-85-14-1 Backscore	38	8.500	X	14.000	1	100	30	No	100	WI

\* Perfed horizontally at 7" through face stock and liner

**8.5" X 11" Laser Name Badge, Pearlescent Paper, Permanent Adhesive**

RL-3375-233-8-NB	32	3.375	X	2.330	8	100	26	No	800	WI
------------------	----	-------	---	-------	---	-----	----	----	-----	----

**8.5" X 11" EDP Laser Price Marking, Permanent Adhesive**

RL-1-1-80-PM	33	1.000	X	1.000	80	100	26	No	8000	WI
--------------	----	-------	---	-------	----	-----	----	----	------	----

**8.5" X 11" EDP Laser File Folder, Blanks & 1/8" Colored Bar Across Top of Labels**

RL-3438-0667-30	34	3.438	X	0.667	30	100	26	Yes	3000	WI
RL-3438-0667-YL	35	3.438	X	0.667	30	100	26	Yes	3000	WI
RL-3438-0667-RD	35	3.438	X	0.667	30	100	26	Yes	3000	WI
RL-3438-0667-GR	35	3.438	X	0.667	30	100	26	Yes	3000	WI

Colors Top to Bottom: Blank/White, Pantone Yellow, Pantone Red 032, Pantone 339 Green

## Tags

BizGraphics Part #	Width	X	Length	Nbr Up	FF = Fanfold	Labels / Carton	Approx Wt / Case	Stacks / Carton	Stocking Locations
--------------------	-------	---	--------	--------	--------------	-----------------	------------------	-----------------	--------------------

**7 pt. Thermal Transfer C1S Tag Stock (Notches at Perf for Sensing), Fanfold**

RTAG-3-15-4000-FF *	3.000	X	1.500	1	FF	8000	10	2	OH
RTAG-4-3-2000-FF	4.000	X	3.000	1	FF	4000	14	2	OH
RTAG-4-6-1000-FF	4.000	X	6.000	1	FF	4000	24	4	OH
RTAG-4-65-1000-FF	4.000	X	6.500	1	FF	4000	28	4	OH


\* Tags with Horseshoe Hang Hole

BizGraphics Part #	Width	X	Length	Nbr Up	FF = Fanfold	Labels / Carton	Approx Wt / Case	Stacks / Carton	Stocking Locations
--------------------	-------	---	--------	--------	--------------	-----------------	------------------	-----------------	--------------------


**7 pt. Direct Thermal Tag Stock, Postal Bag and Tray Tags, Fanfold**

REP-334-1915-NF	3.300	X	1.900	1	FF	32,000	50	10	OH
-----------------	-------	---	-------	---	----	--------	----	----	----


Postal tags are manufactured to run through a Microcom 410 thermal printer.




3.3 x 1.9  
DIRECT THERMAL  
TRAY TAGS




1  
 1 x 1  
 80 PER SHEET




2  
 1 1/2 x 1/2  
 100 PER SHEET




3  
 1 1/2 x 1  
 50 PER SHEET




4  
 1 3/4 x 1/2  
 80 PER SHEET




5  
 1 3/4 x 1  
 44 PER SHEET




6  
 2 1/2 x 1 9/16  
 18 PER SHEET




7  
 2 5/8 x 1  
 30 PER SHEET




8  
 2.833 x 1  
 33 PER SHEET




9  
 2.833 x 1 3/8  
 24 PER SHEET




10  
 3 1/2 x 3/4  
 28 PER SHEET




11  
 4 x 1  
 20 PER SHEET




12  
 4 x 1.33  
 14 PER SHEET




13  
 4 x 1 1/2  
 12 PER SHEET




14  
 4 x 1 3/4  
 12 PER SHEET




15  
 4 x 2  
 10 PER SHEET




16  
 4 x 3 1/3  
 6 PER SHEET




17  
 4 x 5  
 4 PER SHEET




18  
 4 1/4 x 1  
 22 PER SHEET




19  
 4 1/4 x 1 1/2  
 14 PER SHEET




20  
 4 1/4 x 2  
 10 PER SHEET




4 1/4 x 2 3/4  
8 PER SHEET




4 1/4 x 5 1/2  
4 PER SHEET




8 1/2 x 3 1/2  
3 PER SHEET




8 1/2 x 5 1/2  
2 PER SHEET




8 1/2 x 11  
1 PER SHEET




1" DIAMETER  
63 PER SHEET




1 1/2" DIAMETER  
24 PER SHEET




2 1/2" DIAMETER  
12 PER SHEET




1.66" DIAMETER  
24 PER SHEET




4 1/2" DIAMETER  
2 PER SHEET




8 3/16 x 10 3/4  
1 PER SHEET




3 3/8 x 2 1/3  
8 PER SHEET




1 x 1  
80 PER SHEET




3 7/16 x .667  
30 PER SHEET




3 7/16 x .667 PRINTED  
30 PER SHEET



4 1/4 x 14  
2 PER SHEET



4 x 6  
4 PER SHEET



8 1/2 x 14  
1 PER SHEET

8 1/2 X 14

# RFID Enabled Labels

*If ordering quantity of 101M and above, please call for pricing*

BizGraphics Part #	Width	X	Length	Core Size	Labels / Roll	Rolls / Carton
<b>Printronix SL5000r / SL4m</b> Alien Squiggle * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-1-AL1,2-PRIN-3	4.000	X	1.000	3	2500	4
RFT-4-2-AL1,2-PRIN-3	4.000	X	2.000	3	2500	4
RFT-4-6-AL1,2-PRIN-3	4.000	X	6.000	3	800	5

<b>Printronix SL5000r / SL4m</b> Avery AD224 * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-1-AV1,2-Z/P-3	4.000	X	1.000	3	2500	4
RFT-4-2-AV1,2-PRIN-3	4.000	X	2.000	3	2500	4
RFT-4-6-AV1,2-PRIN-3	4.000	X	6.000	3	800	5

<b>Printronix SL5000r / SL4m</b> Rafsec Short Dipole * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-2-RA1,2-PRIN-3	4.000	X	2.000	3	2500	4
RFT-4-6-RA1,2-PRIN-3	4.000	X	6.000	3	800	5

<b>Zebra R 110xi/R 170xi</b> Alien Squiggle * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-1-AL1,2-ZEB-3	4.000	X	1.000	3	2500	4
RFT-4-2-AL1,2-ZEB-3	4.000	X	2.000	3	2500	4
RFT-4-4-AL1,2-ZEB-3	4.000	X	4.000	3	1000	5
RFT-4-6-AL1,2-ZEB-3	4.000	X	6.000	3	800	5
RFT-4-6-AL1,2-ZEB-FF	4.000	X	6.000	FF	800	4

<b>Zebra R 110xi/R 170xi</b> Avery AD224 * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-1-AV1,2-Z/P-3	4.000	X	1.000	3	2500	4
RFT-4-2-AV1,2-ZEB-3	4.000	X	2.000	3	2500	4
RFT-4-6-AV1,2-ZEB-3	4.000	X	6.000	3	800	5

<b>Zebra R 110xi/R 170xi</b> Rafsec Short Dipole * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-2-RA1,2-ZEB-3	4.000	X	2.000	3	2500	4
RFT-4-6-RA1,2-ZEB-3	4.000	X	6.000	3	800	5

<b>Zebra RZ400 / RZ600</b> Alien / Avery * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-2-AL2-RZ400-3	4.000	X	2.000	3	2500	4
RFT-4-6-AL2-RZ400-3	4.000	X	6.000	3	800	5
RFT-4-6-AV2-RZ400-3	4.000	X	6.000	3	800	5

<b>Zebra RP4T</b> Alien Squiggle * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-2-AL2-ZEB-RP4T	4.000	X	2.000	1.375	200	25

<b>Monarch 9855</b> Alien AD224 * EPC Class 1, Gen 2 * 96 bit * UHF * 915 MHz, Perfed, Thermal Transfer, Perm Adh						
RFT-4-2-AL,2-MON 9855	4.000	X	2.000	3	2500	4
RFT-4-6-AL,2-MON 9855	4.000	X	6.000	3	964	5



BizGraphics Part #	Width	X	Length	Core Size	Labels / Roll	Rolls / Carton
--------------------	-------	---	--------	-----------	---------------	----------------

**Avery 6405** Avery, AD224 \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AV1,2-AV6405	4.000	X	2.000	3	1000	5
----------------------	-------	---	-------	---	------	---

**Datamax H Class** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL1,2-DA,H-3	4.000	X	2.000	3	2500	4
RFT-4-6-AL1,2-DA,H-3	4.000	X	6.000	3	800	5

**Intermec PM4i** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

RFT-4-2-AL1,2-I,PM4I	4.000	X	2.000	3	2500	4
RFT-4-6-AL1,2-I,PM4I	4.000	X	6.000	3	800	5

- Chip-neutral insertion process - compatible with available UHF (915 MHz) or HF (13.56 MHz) transponders
- Insertion in a variety of materials, TTR, films, tag, and synthetic tag
- Specialty adhesives available
- Printing up to 6 colors front or back (including process color)
- Pre-encoding and imprinting available
- Press speeds up to 500 feet per minute
- Delivered 100% verified
- DOD-Compliant Label Service Bureau
- Alien Squiggle, Avery AD224 and Rafsec Short Dipole are trademarks of their respective manufacturers
- **RFID is subject to a 40% restocking fee.**

## Thermal Transfer Labels/Ribbon Kits

BizGraphics Part #	Width	X	Length	Nbr Up	Core Size	Labels/Rolls	Approx Wt / Case	Rolls / Carton	Labels / Carton	Ribbons / Carton	Stock Location
--------------------	-------	---	--------	--------	-----------	--------------	------------------	----------------	-----------------	------------------	----------------

**Zebra™ Labels / 4.33" x 1476' Ribbons**

ZRT-4-2-2900-NP	4.000	X	2.000	1	3	2900	28	4	11600	2	OH
ZRT-4-2-2900-3	4.000	X	2.000	1	3	2900	28	4	11600	2	OH
ZRT-4-6-1000-NP	4.000	X	6.000	1	3	1000	28	4	4000	2	OH
ZRT-4-6-1000-3	4.000	X	6.000	1	3	1000	28	4	4000	2	OH
ZRT-4-65-900-3	4.000	X	6.500	1	3	900	28	4	3600	2	OH

**DATAMAX™ / 4.33" x 1181' Ribbons**

DRT-4-6-1000-NP	4.000	X	6.000	1	3	1000	28	4	4000	2	OH
DRT-4-6-1000-3	4.000	X	6.000	1	3	1000	28	4	4000	2	OH


**SATO™ / 4.33" x 1345' Ribbons**

SRT-4-6-1000-NP	4.000	X	6.000	1	3	1000	28	4	4000	2	OH
SRT-4-6-1000-3	4.000	X	6.000	1	3	1000	28	4	4000	2	OH

Thermal transfer labels and ribbons are priced per case and packed together in a 2:1 ratio of 2 rolls of labels to 1 roll of ribbon. Part numbers with NP at the end have no perforations between labels. Labels are wound out on 3" cores and ribbons are Clean Start wax ribbons. Carton size is 15 x 15 x 4.25. You must purchase case quantities.

## GLU-100 Unwind

- Simple to Operate
- Industrial Strength
- Auto Speed Control
- Unwind Speed up to 24" / sec
- Label Widths from 1" to 9"
- Winds Labels In or Out




## GLR-50 Label Rewinder

- Auto Speed Control
- Label Widths from 1" to 4"
- Winds Labels In or Out
- Standard 3" Core Holders
- 8" Diam Outer Disks
- Auto-Switching Universal Power Supply
- Direct & Thermal Transfer Printers

## GLR-100 Rewind

- Simple to Operate
- Industrial Strength
- Auto Speed Control
- Rewind speed up to 24" / sec
- Label Widths from 1" to 9"
- Winds Labels In or Out




## Thermal Printer Cleaning Wipes



BizGraphics' Cleaning Wipes are soft, fibrous, and super-saturated with 99.99% Isopropyl Alcohol. Tear open and wipe the heads, label path and other areas for your thermal printer or other equipment. Safe, easy, effective and economical.

## Thermal Printer Cleaning Cards



- |                         |                |  |
|-------------------------|----------------|--|
| <b>Part # TPHCC-2-6</b> | <b>2" x 6"</b> | All sizes same price<br>25 / box, all sizes. |
| <b>Part # TPHCC-4-6</b> | <b>4" x 6"</b> |  |
| <b>Part # TPHCC-5-6</b> | <b>5" x 6"</b> |  |
| <b>Part # TPHCC-6-6</b> | <b>6" x 6"</b> |  |

BizGraphics' Cleaning Cards are conveniently presaturated with 99.99% Anhydrous Isopropanol to allow maximum effectiveness with minimal effort. Only BizGraphics' Cards perform preventive maintenance and corrective maintenance. Also available for linerless label printers, pouched with a different solution.

## Thermal Printer Cleaning Pens




Thermal Printer Cleaning Pens 12 / box  
**Part # CP-J**

Use on printers with easily accessible print heads. BizGraphics' Cleaning Pens are filled with 99.99% Isopropyl Alcohol, and can be used multiple times. Simply swipe across the print head a few times and you're finished. To clean the soft pen tip, swipe it across a clean sheet of paper. The capillary wicking action keeps the alcohol flowing to the pen tip. Our pen's tip cannot be jammed up the pen's body, thereby preventing you from accidentally damaging your print head. Safe and easy to use.




### Select-a-matic D-5




Select-a-matic D-5 power advance for pre-sort labels or printed roll labels (butt cut or die cut), up to 5 1/2" diameter.

### Dispensa-matic U-45



Dispensa-matic U-45 power advance for one-up computer forms or printed labels in rolls 3/8" to 4 1/2" wide.

### Dispensa-matic U-60




Dispensa-matic U-60 power advance for larger labels in rolls up to 6" wide.

### Simple Simon 4" width



Simple Simon 3 3/8" width manually operated, precision made metal dispenser for all types of roll labels...even thin ones.



### LDM Series

- 1) LDM 450
- 2) LDM 850
- 3) LDM 1250
- 4) LDM 250

Manual label dispensing made easy with the LDM Series of label dispensers.

### Zebra 105SL



Zebra 105SL Direct Thermal-Thermal Transfer Barcode Printer (203 dpi, 4.09 Inch Print Width, 8 ips Print Speed, Serial and Parallel Interfaces, 6MB DRAM and 2MB Flash) combines enhanced memory, processing capacity and features rugged all-metal construction. Proven platform longevity plus fast processing and print speed make it the choice of experienced users who value reliability, productivity, consistent print quality, network compatibility, and superior service and support.



7248 Lake Drive • Fort Myers, FL 33908 • Toll Free: 800-267-1026 • Tele: 239-466-3036 • Fax: 239-466-3566